

## **Design Criteria and Adopted Codes**

## **Adopted Building Codes**

2018 IBC/IRC - with amendments

2018 IECC - with amendments

2021 IFC - with amendments

2023 National Electrical Code (NEC) – adopted at State level

2021 IPC – with amendments

2018 IMC - with amendments

2018 IFGC - with amendments

2018 IEBC - with amendments

2018 IPMC - with amendments

2018 ISPSC - with amendments

(To view amendments please see the Municipal Code)

## **Town of Timnath Adopted Building Codes**

Table R301.2 (1)

CLIMATIC AND GEOGRAPHIC DESIGN CRITERIA											
	WIND DESIGN		SEISMIC	SUBJECT TO DAMAGE FROM			WINTER	ICE BARRIER	FLOOD	AIR	MEAN
GROUND SNOW LOAD	Speed (mph)	Topographic effects	DESIGN CATEGORY	Weathering	Frost line depth	Termite	DESIGN TEMP	UNDERLAYMENT REQUIRED	HAZARD	FREEZING INDEX	ANNUAL TEMP
30psf	115	NO	В	severe	30"	slight to moderate	1	YES	6-Feb-13	1000	45F

Phone: (970) 224-3211 Fax: (970)224-3217 <u>www.timnath.org</u> 4750 Signal Tree Drive Timnath, Colorado 80547